


10563465b



G1 H,X,[@1]

G2 H,OH

Structure attributes must be viewed using STN Express query preparation.

=> s l12 full

FULL SEARCH INITIATED 10:38:03 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 1873 TO ITERATE

100.0% PROCESSED 1873 ITERATIONS

SEARCH TIME: 00.00.01

0 ANSWERS

L13 0 SEA SSS FUL L12

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

689.75

1104.81

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-29.64

FILE 'CAPLUS' ENTERED AT 10:38:07 ON 10 JUL 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 10 Jul 2007 VOL 147 ISS 3

Karen Cheng

10563465b

FILE LAST UPDATED: 9 Jul 2007 (20070709/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> d his

(FILE 'HOME' ENTERED AT 10:13:34 ON 10 JUL 2007)

FILE 'REGISTRY' ENTERED AT 10:13:43 ON 10 JUL 2007

L1 STRUCTURE UPLOADED

L2 199 S L1 FULL

FILE 'CAPLUS' ENTERED AT 10:14:18 ON 10 JUL 2007

L3 38 S L2

FILE 'REGISTRY' ENTERED AT 10:14:56 ON 10 JUL 2007

L4 STRUCTURE UPLOADED

L5 0 S L4 FULL SUB=L2

FILE 'CAPLUS' ENTERED AT 10:15:53 ON 10 JUL 2007

FILE 'REGISTRY' ENTERED AT 10:34:09 ON 10 JUL 2007

L6 STRUCTURE UPLOADED

L7 0 S L6 FULL

L8 STRUCTURE UPLOADED

L9 4 S L8 FULL

L10 STRUCTURE UPLOADED

L11 1 S L10 FULL

L12 STRUCTURE UPLOADED

L13 0 S L12 FULL

FILE 'CAPLUS' ENTERED AT 10:38:07 ON 10 JUL 2007

=> s l9 or l11

3 L9

1 L11

L14 4 L9 OR L11

=> d ibib abs hitstr tot

Karen Cheng

L14 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:161883 CAPLUS

DOCUMENT NUMBER: 130:309064

TITLE: New oligostilbenes having a benzofuran from *Vitis vinifera* 'Kyohou'

AUTHOR(S): Ito, Junko; Takaya, Yoshiaki; Oshima, Yoshiteru; Niwa, Masatake

CORPORATE SOURCE: Faculty Pharmacy, Meijo University, Tempaku, Nagoya, 4688503, Japan

SOURCE: Tetrahedron (1999), 55(9), 2529-2544


CODEN: TETRA; ISSN: 0040-4020

PUBLISHER: Elsevier Science Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

GI



AB Three new oligostilbenes having a benzofuran moiety, viniferifuran (e.g. I), (+)-vitisifuran A and (-)-vitisifuran B, were isolated from *Vitis vinifera* 'Kyohou'. The structures of these oligostilbenes including the absolute configuration were elucidated by spectroscopic and chemical methods.

Furthermore, these were chemical transformed from (+)- α -viniferin, (+)-vitisin A and (-)-vitisin B, resp., whose absolute configurations are known.

IT 223558-97-2P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (preparation and properties of)

RN 223558-97-2 CAPLUS

CN 1,3-Benzenediol, 5-[(2'S,3'S)-6'-(acetyloxy)-5-[(1E)-2-[6-(acetyloxy)-2-[4-(acetyloxy)phenyl]-3-[3,5-bis(acetyloxy)phenyl]-4-benzofuran]ethenyl]-2,2'-bis[4-(acetyloxy)phenyl]-2',3'-dihydro[3,4'-bibenzofuran]-3'-yl]-, diacetate (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.

L14 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1976:448246 CAPLUS

DOCUMENT NUMBER: 85:48246

TITLE: Anil synthesis. 11. Preparation of 4-styrylstilbene, 4-(benzo[b]furan-2-yl)stilbene, and p-(2-phenylbenzo[b]furan-6-yl)styrene derivatives substituted in the 4'-position

De Buman, Alain; Siegrist, Adolf E.

Org.-Chem. Inst., Univ. Freiburg, Freiburg, Switz.

Helvetica Chimica Acta (1974), 57(5), 1352-82

CODEN: HCACAV; ISSN: 0018-019X

Journal

German

AUTHOR(S):




CORPORATE SOURCE:

SOURCE:

DOCUMENT TYPE:

LANGUAGE:

GI



AB Stilbene and styrene derivs. I-III (R = heterocyclic-substituted phenyl or phenylbenzofuran) (156), one of which is known as a fluorescent whitening agent, were prepared by the anil synthesis, i.e., by reaction of the 4-chloroanils of 4-stilbenecarboxaldehyde [40200-69-9], p-(2-benzofuran)benzaldehyde [53348-90-6], and 2-phenyl-6-benzofuran-carboxaldehyde [53348-88-2] with heterocyclic-substituted toluenes or 2-aryl-6-methylbenzofurans in the presence of DMF and KOH or KO^tBu-tert. The absorption and fluorescence λ_{max} of the I-III are given. The anil synthesis produces a trans double bond exclusively, in contrast to the reaction of an aldehyde with a (EtO)2P(O)CH2-substituted aromatic compound, which gives a cis-trans mixture


IT 53348-60-0P 53415-36-4P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (preparation and absorption and fluorescence spectra of)

RN 53348-60-0 CAPLUS

CN Benzofuran, 6,6'-(1,2-ethenediyl)bis[2-phenyl-, (E)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



Karen Cheng


L14 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

(Continued)



PAGE 1-A

PAGE 1-B



REFERENCE COUNT: 7

THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L14 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

(Continued)

RN 53415-36-4 CAPLUS

CN Benzofuran, 6-[2-(2-[1,1'-biphenyl]-4-yl-6-benzofuran)ethenyl]-2-phenyl-, (E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L14 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1975:461624 CAPLUS

DOCUMENT NUMBER: 83:61624

TITLE: Anil syntheses. 11. Preparation of 4'-substituted 4-styrylstilbene, 4-(benzo[b]furan-2-yl)stilbene, and β -(2-phenylbenzo[b]furan-6-yl)styrene derivatives
 AUTHOR(S): De Buman, Alain; Siegrist, Adolf E.
 CORPORATE SOURCE: Org. Chem. Inst., Univ. Freiburg, Freiburg, Switz.
 SOURCE: Helvetica Chimica Acta (1974), 57(5), 1352-82
 CODEN: HCACAV; ISSN: 0018-019X

DOCUMENT TYPE: Journal

LANGUAGE: German

AB The Schiff bases of 4-stilbenecarboxaldehyde [40200-69-9], 2-(p-formylphenyl)benzo[b]furan [53348-90-6] and 2-phenyl-6-formylbenzo[b]furan and p-chloroaniline [106-47-8] were condensed with p-tolyl or methyl substituted aromatic heterocyclic or carbocyclic compds.

in DMF in the presence of KOH or KOCH₃ to give 156 4'-substituted 4-styrylstilbene, 4-(benzo[b]furan-6-yl)stilbene, and β -(2-phenylbenzo[b]furan-6-yl)styrene deriva., all in the trans form. The absorption maximum and fluorescence maximum of the benzo[b]furan based compds.

were compared with the corresponding stilbene deriva.


IT 53348-60-0 53415-36-4

RL: FRP (Properties)
 (fluorescence and uv spectra of)

RN 53348-60-0 CAPLUS

CN Benzofuran, 6,6'-(1,2-ethenediyl)bis[2-phenyl-, (E)- (9CI) (CA INDEX NAME)


Double bond geometry as shown.



RN 53415-36-4 CAPLUS

CN Benzofuran, 6-[7-[2-[1,1'-biphenyl]-4-yl-6-benzofuranyl]ethenyl]-2-phenyl-, (E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L14 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1975:113167 CAPLUS

DOCUMENT NUMBER: 82:113167

TITLE: Anil synthesis. 10. Preparation of styryl derivatives of dibenzofurans

AUTHOR(S): Garmatter, Jacques; Siegrist, Adolf E.
 CORPORATE SOURCE: Org. Chem. Inst., Univ. Freiburg, Freiburg, Switz.
 SOURCE: Helvetica Chimica Acta (1974), 57(4), 945-79
 CODEN: HCACAV; ISSN: 0018-019X

DOCUMENT TYPE: Journal

LANGUAGE: German

GI For diagram(s), see printed CA Issue.

AB Schiff bases of 2- and 3-dibenzofurancarboxaldehydes with p-ClC₆H₄NH₂ were condensed with p-tolyl substituted heterocyclic and carbocyclic aromatic compds. in DMF in the presence of KOH or KOCH₃ to give the corresponding styryl deriva. or styryl analogs (I, R = heterocyclic residue, aromatic carbocyclic residue). The position of the absorption and fluorescence maximum of 3-dibenzofuran styryl deriva. was compared to the p-biphenyl residue-containing deriva.


IT 52823-31-1 52823-32-2

RL: FRP (Properties)
 (fluorescent spectrum of)

RN 52823-31-1 CAPLUS

CN Dibenzofuran, 3-[2-(2-phenyl-6-benzofuranyl)ethenyl]-, (E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 52823-32-2 CAPLUS

CN Dibenzofuran, 3-[2-(2,3-diphenyl-6-benzofuranyl)ethenyl]-, (E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

